

BALANTY ELECTRIC TWO WHEELER

FOR YOUR BALANCE OF LIFE



BALANTY

ABOUT HYUNDAI

HYUNDAI CORPORATION HOLDINGS emerged in October 2015 from an equity spinoff of HYUNDAI CORPORATION which is a representative general trading company in Korea.



BALANTY BRAND

With the strong brand power of 'HYUNDAI' and its consumer recognition, the company is developing new brand 'BALANTY', the newest vision of HYUNDAI CORPORATION HOLDINGS.

HYUNDAI CORPORATION HOLDINGS will secure its creative business model and sustain its global competitiveness while making the best efforts to open a new business era.

Also, to become a trusted partner of customers and to grow into a long-term business partner committed to mutual success, all our employees will work together towards greater development by pioneering new business sectors.

The brand BALANTY is a global flagship brand of HYUNDAI CORPORATION HOLDINGS., delivering the message of "Balance and Harmony in Life". Pursuing balance between the lifestyle of today and the lifestyle of the future, BALANTY embarks on a new journey toward a more harmonious and inspiring way of living, beginning in 2021.



BALANTY QUALITY CERTIFICATION

INSTRUCTION

To further strengthen consumer trust and confidence, all BALANTY products prominently feature the distinctive Hyundai Genuine Mark.

This official certification mark serves as definitive proof that the product represents a genuine offering from Hyundai Corporation Holdings, meeting the highest standards of quality, performance, and reliability.

GENUINE MARK

The Genuine Mark is consistently applied across all products, packaging materials, and marketing communications, creating a unified brand experience that consumers can immediately recognize and trust.

This mark provides comprehensive assurance to consumers regarding authenticity, superior quality, and long-term reliability, while reinforcing Hyundai's distinguished global reputation for excellence and innovation in energy solutions..

Primary Symbol Mark



Full Color

Secondary Symbol Mark



Black Color



White Color

by HYUNDAI Corporation MARK


To further reinforce consumer trust and confidence in BALANTY products, the “by HYUNDAI Corporation” mark may be used as a supportive brand assurance signifier in accordance with HYUNDAI's written guidelines.

This mark is a marketing phrase/mark intended to communicate the relationship to Hyundai Corporation. It must be applied in a way that preserves BALANTY as the primary brand identity.

Shape

by HYUNDAI Corporation

Core Usage Principles



BALANTY BRAND ESSENCE

ESSENCE & CORE VALUE

The brand essence represents the core identity of BALANTY, embodying the philosophy and direction of the brand. Its core values express the three enduring identities that define BALANTY's unchanging nature.

By understanding and embracing BALANTY's philosophy and identity, all members of BALANTY can share common values and move forward together toward the brand's goals.

Even amid continuous growth, BALANTY's core values and identity—the essence of the brand— remain steadfast and unchanged.

BRAND ESSENCE

'TOGETHER'

We change and grow through the value of “togetherness.”

By continuously sharing new values and proposing changes in lifestyle, we create stories of growth achieved together.

CORE VALUE

Drivers



For Better Life

“Pursuing a better life”

We strive to enrich daily life through innovative ideas, offering practical and enjoyable experiences that elevate everyday living.

Differentiators



For Sustainable Change

We lead the transition toward eco-friendly lifestyles by introducing responsible and sustainable value-based products.

Fundamental



For Smart Value

“Communicating smart and balanced value”
We enable efficient and intelligent living through the fusion of smart technology and human-centered design.

ELECTRIC MOPED VOLTIX

GRAPHENE BATTERY SERIES

48V 24AH Battery | 500W MOTOR POWER



55 - 58 KM RANGE



UP TO 30KM/H
TOP SPEED



48V 24AH
BATTERY



SUPPORTS UP TO
120 KG LOAD



500 WATTS
MOTOR POWER



LED INSTRUMENT PANEL



SMART HEADLIGHT



FRONT DISC BRAKE

Technical Specification

BATTERY TYPE	48V 24Ah Graphene Battery	MAX SPEED	30km/h
MOTOR	500W	MAX RANGE	58km
DIMENSION(L*W*H)	1500 * 650 * 1040mm	MAX LOAD	120kg
CONTROLLER	6 mosfets	WEIGHT(battery included)	78kg
BRAKE	F: Disc / R: Drum	CERTIFICATION	CCC
MOQ	1 X 40 HQ		


ELECTRIC MOPED FURIA

GRAPHENE BATTERY SERIES

60V 24AH Battery | 800W MOTOR POWER



60 - 68 KM RANGE



UP TO 45KM/H
TOP SPEED



60V 24AH
BATTERY




800 WATTS
MOTOR POWER



SUPPORTS UP TO
150 KG LOAD



LED INSTRUMENT PANEL



FRONT DISC
BRAKE



COMFORTABLE
SEAT CUSHION

Technical Specification			
BATTERY TYPE	60V 24Ah Graphene Battery	MAX SPEED	45km/h
MOTOR	800W	MAX RANGE	68km
DIMENSION(L*W*H)	1640 * 730 * 1040mm	MAX LOAD	150kg
CONTROLLER	12 mosfets	WEIGHT(battery included)	92kg
BRAKE	F: Disc / R: Drum	CERTIFICATION	CCC
MOQ	1 X 40 HQ		

ELECTRIC MOPED MICKEY

GRAPHENE BATTERY SERIES
72V 24AH Battery | 1000W MOTOR POWER



75 - 80 KM RANGE



UP TO 50KM/H
TOP SPEED



72V 24AH
BATTERY



SUPPORTS UP TO
150 KG LOAD



1000 WATTS
MOTOR POWER



TCS TRACTION CONTROL



WIDE-ANGLE HEADLIGHT



FRONT& REAR HYDRAULIC
SUSPENSION

Technical Specification			
BATTERY TYPE	72V 24Ah Graphene Battery	MAX SPEED	50km/h
MOTOR	1000W	MAX RANGE	80km
DIMENSION(L*W*H)	1830 * 780 * 1130mm	MAX LOAD	150kg
CONTROLLER	12 mosfets	WEIGHT(battery included)	106kg
BRAKE	F: Disc / R: Disc	CERTIFICATION	CCC
MOQ	1 X 40 HQ		

ELECTRIC MOPED ECLIPSE

GRAPHENE BATTERY SERIES
72V 24AH Battery | 1000W MOTOR POWER



75 - 80 KM RANGE



UP TO 50KM/H
TOP SPEED



72V 24AH
BATTERY



SUPPORTS UP TO
150 KG LOAD



1000 WATTS
MOTOR POWER



LED INSTRUMENT PANEL



LARGE STORAGE



FRONT & REAR
DISC BRAKE

Technical Specification			
BATTERY TYPE	72V 24Ah Graphene Battery	MAX SPEED	50km/h
MOTOR	1000W	MAX RANGE	80km
DIMENSION(L*W*H)	1870 * 720 * 1140mm	MAX LOAD	150kg
CONTROLLER	12 mosfets	WEIGHT(battery included)	125kg
BRAKE	F: Disc / R: Disc	CERTIFICATION	CCC
MOQ	1 X 40 HQ		


ELECTRIC SCOOTER SCOOTY

LITHIUM-ION BATTERY SERIES

36V 5.2AH Battery | 350W MOTOR POWER



APP CONNECTIVITY



12 - 20 KM RANGE



UP TO 25KM/H
TOP SPEED



FOLDABLE AND
EASY TO CARRY



LED DISPLAY



CLIMB INCLINES
TO 15%



SUPPORTS UP
TO 120KG LOAD


Technical Specification

MOTOR	36V 350W	CLIMBING GRADIENT	≤15%
BATTERY	36V 5.2Ah	RANGE	12-20km
FRAME	Steel	MAX LOADING	120kg
TIRE	8.5" Air Tire	CHARGING VOLTAGE	110-240V (50-60Hz)
SUSPENSION	Front	CHARGING TIME	About 3-4H
DISPLAY	LED Display	SCOOTER SIZE	1070 * 490 * 1145 mm
BRAKE	eABS + Single Disc Brake	CARTON SIZE	1135 * 155 * 550 mm
FOLD FUNCTION	Foldable	NET WEIGHT	15.9kg
MAX SPEED	25km/h	WATERPROOF	IPX5
LOGO	As per separate agreement	APP	YES
LIGHT	Front LED Light + Rear Brake Light + Turn Lights of Handlebar		
REMARK	Including 1.5A Charger, with kickstand, brown master carton, no gift box		


ELECTRIC SCOOTER SCOOTY PRO

LITHIUM-ION BATTERY SERIES

36V 7.5AH Battery | 500W MOTOR POWER



APP CONNECTIVITY FRONT SUSPENSION



20 - 25 KM RANGE



UP TO 25KM/H
TOP SPEED



FOLDABLE AND
EASY TO CARRY



LED DISPLAY



CLIMB INCLINES
TO 20%



SUPPORTS UP
TO 120KG LOAD

Technical Specification

MOTOR	36V 500W	CLIMBING GRADIENT	≤20%
BATTERY	36V 7.5Ah	RANGE	20-25km
FRAME	Steel	MAX LOADING	120kg
TIRE	10" Air Tire	CHARGING VOLTAGE	110-240V (50-60Hz)
SUSPENSION	Front + Rear	CHARGING TIME	About 5-6H
DISPLAY	LED Display	SCOOTER SIZE	1140 * 485 * 1220 mm
NET WEIGHT	19.4kg	LIGHT	Front LED Light + Rear Brake Light
BRAKE	eABS + Single Disc Brake	CARTON SIZE	1150 * 180 * 550 mm
FOLD FUNCTION	Foldable	HORN	Yes(Bell)
MAX SPEED	25km/h	WATERPROOF	IPX5
LOGO	As per separate agreement	APP	YES
REMARK	Including 1.5A Charger, with kickstand, brown master carton, no gift box		

ELECTRIC SCOOTER


AGIL MAX

LITHIUM-ION BATTERY SERIES


36V 12.5AH Battery | 400W MOTOR POWER



LED DISPLAY



FRONT LIGHT



36 - 41 KM RANGE



UP TO 25KM/H
TOP SPEED



FOLDABLE AND
EASY TO CARRY



LED DISPLAY



CLIMB INCLINES
TO 20%



SUPPORTS UP
TO 120KG LOAD

Technical Specification

MOTOR	36V 400W	CLIMBING GRADIENT	≤20%
BATTERY	36V 12.5Ah	RANGE	36-41km
FRAME	Aluminum Alloy	MAX LOADING	120kg
TIRE	10" Air Tire	CHARGING VOLTAGE	110-240V (50-60Hz)
SUSPENSION	Front + Rear	CHARGING TIME	About 7-8H
DISPLAY	LED Display	SCOOTER SIZE	1140 * 440 * 1190 mm
NET WEIGHT	17.2kg	CARTON SIZE	1135 * 155 * 550 mm
BRAKE	eABS + Single Disc Brake	LIGHT	Front Bottom Side Light + Rear Brake Light
FOLD FUNCTION	Foldable		
MAX SPEED	25km/h	WATERPROOF	IPX5
LOGO	As per separate agreement	APP	YES
REMARK	Including 2A Charger, with kickstand, brown master carton, no gift box		

ELECTRIC SCOOTER


AGIL PLUS (8.5 inch)

LITHIUM-ION BATTERY SERIES


36V 5.2AH Battery | 350W MOTOR POWER



FRONT LIGHT




REAR SUSPENSION



15 - 20 KM RANGE



UP TO 25KM/H
TOP SPEED



FOLDABLE AND
EASY TO CARRY



LED DISPLAY



CLIMB INCLINES
TO 20%



SUPPORTS UP
TO 120KG LOAD

Technical Specification

MOTOR	36V 350W	CLIMBING GRADIENT	≤20%
BATTERY	36V 5.2Ah	RANGE	20-30km
FRAME	Aluminum Alloy	MAX LOADING	120kg
TIRE	8.5" Air Tire	CHARGING VOLTAGE	110-240V (50-60Hz)
SUSPENSION	Rear	CHARGING TIME	About 3-4H
DISPLAY	LED Display	SCOOTER SIZE	1125 * 550 * 1145 mm
LIGHT	Front Light + Rear Brake Light	CARTON SIZE	1135 * 155 * 550 mm
BRAKE	Front ABS + Rear Disc	NET WEIGHT/GROSS WEIGHT	15kg / 17kg
FOLD FUNCTION	Foldable	HORN	Yes(Bell)
MAX SPEED	25km/h	WATERPROOF	IPX5
LOGO	As per separate agreement	APP	YES
REMARK	Including 1.5A Charger, with kickstand, brown master carton, no gift box		

ELECTRIC SCOOTER


AGIL PLUS (10 inch)

LITHIUM-ION BATTERY SERIES


36V 10AH Battery | 500W MOTOR POWER



FRONT LIGHT



REAR SUSPENSION



20 - 25 KM RANGE



UP TO 25KM/H
TOP SPEED



FOLDABLE AND
EASY TO CARRY



LED DISPLAY



CLIMB INCLINES
TO 20%



SUPPORTS UP
TO 120KG LOAD

Technical Specification

MOTOR	36V 500W	CLIMBING GRADIENT	≤20%
BATTERY	36V 10Ah	RANGE	20-25km
FRAME	Aluminum Alloy	MAX LOADING	120kg
TIRE	10" Air Tire	CHARGING VOLTAGE	110-240V (50-60Hz)
SUSPENSION	Front +Rear	CHARGING TIME	About 5-6H
DISPLAY	LED Display	SCOOTER SIZE	1125 * 550 * 1190 mm
LIGHT	Front Light + Rear Brake Light	NET WEIGHT/GROSS WEIGHT	15kg / 17kg
BRAKE	Electric Brake + Disc Brake	HORN	Yes(Bell)
FOLD FUNCTION	Foldable	CHARGER	42V 1.5A
MAX SPEED	25km/h	WATERPROOF	IPX5
LOGO	As per separate agreement	APP	YES
REMARK	Including 1.5A Charger, with kickstand, brown master carton, no gift box		

ELECTRIC SCOOTER TORQ X

LITHIUM-ION BATTERY SERIES


48V 13AH Battery | 600W MOTOR POWER



FOLDABLE BODY



REAR SUSPENSION



30 - 35 KM RANGE



UP TO 25KM/H
TOP SPEED



FOLDABLE AND
EASY TO CARRY



LED DISPLAY



CLIMB INCLINES
TO 20%



SUPPORTS UP
TO 150KG LOAD

Technical Specification

MOTOR	48V 400W	CLIMBING GRADIENT	≤20%
BATTERY	48V 13Ah	RANGE	30-35km
FRAME	Aluminum Alloy	MAX LOADING	150kg
TIRE	10" Off Road Tubeless Tire	CHARGING VOLTAGE	110-240V (50-60Hz)
SUSPENSION	Front + Rear	CHARGING TIME	About 6-7H
DISPLAY	LED Display	SCOOTER SIZE	1150 * 610 * 1400 mm
LIGHT	Front Bottom Side Light + Rear Brake Light + Side LED Light	NET WEIGHT	22.5kg
FOLD FUNCTION	Foldable	HORN	Yes
MAX SPEED	25km/h	LOGO	As per separate agreement
BRAKE	eABS + Dual Disc Brake	WATERPROOF	IPX5
REMARK	Including 2A Charger, with kickstand, brown master carton, no gift box		
		APP	YES


ELECTRIC SCOOTER TORQ Z

LITHIUM-ION BATTERY SERIES

48V 13AH Battery | 600W MOTOR POWER




LED DISPLAY



35 - 40 KM RANGE



UP TO 25KM/H
TOP SPEED



FOLDABLE AND
EASY TO CARRY



LED DISPLAY



CLIMB INCLINES
TO 20%



SUPPORTS UP
TO 150KG LOAD

Technical Specification

MOTOR	48V 500W	CLIMBING GRADIENT	≤20%
BATTERY	48V 10Ah	RANGE	35-40km
LIGHT	Front + Rear Light	MAX LOADING	150kg
TIRE	11" Off Road Tubeless Tire	CHARGING VOLTAGE	110-240V (50-60Hz)
SUSPENSION	Front +Rear	CHARGING TIME	About 6-7H
DISPLAY	LED Display	SCOOTER SIZE	1185 * 680 * 1225 mm
FRAME	Frame: Steel Stem / Handlebar: Aluminum alloy	NET WEIGHT	28kg
		HORN	Yes
FOLD FUNCTION	Foldable	LOGO	As per separate agreement
MAX SPEED	25km/h	WATERPROOF	IPX5
BRAKE	Dual Disc Brake	APP	YES
REMARK	Including 2A Charger, with kickstand, brown master carton, no gift box		

ELECTRIC SCOOTER TORQ Z LITE

LITHIUM-ION BATTERY SERIES


48V 10AH Battery | 600W MOTOR POWER



LED DISPLAY



FRONT LIGHT



30 - 35 KM RANGE



UP TO 25KM/H
TOP SPEED



FOLDABLE AND
EASY TO CARRY



LED DISPLAY



CLIMB INCLINES
TO 20%



SUPPORTS UP
TO 150KG LOAD

Technical Specification

MOTOR	48V 600W	CLIMBING GRADIENT	≤20%
BATTERY	48V 10Ah	CHARGING VOLTAGE	110-240V (50-60Hz)
LIGHT	Front + Rear	MAX LOADING	150kg
TIRE	10" Off Road Tubeless Tire	RANGE	30 - 35 km
SUSPENSION	Front + Rear	CHARGING TIME	About 5-6H
DISPLAY	LED Display	SCOOTER SIZE	1185 * 630 * 1225 mm
FRAME	Frame: Steel Stem / Handlebar: Aluminum alloy	NET WEIGHT	30kg
		HORN	Yes
FOLD FUNCTION	Foldable	LOGO	As per separate agreement
MAX SPEED	25km/h	WATERPROOF	IPX5
BRAKE	Front ABS + Dual disc	APP	NFC only, no APP
REMARK	Including 2A Charger, with kickstand, brown master carton, no gift box		

ELECTRIC SCOOTER RAYO

LITHIUM-ION BATTERY SERIES


48V 10AH Battery | 500W MOTOR POWER



FRONT SUSPENSION



LED DISPLAY



25 - 30 KM RANGE



UP TO 25KM/H
TOP SPEED



FOLDABLE AND
EASY TO CARRY



LED DISPLAY



CLIMB INCLINES
TO 20%



SUPPORTS UP
TO 150KG LOAD

Technical Specification

MOTOR	48V 500W	CLIMBING GRADIENT	≤20%
BATTERY	48V 10Ah	CHARGING VOLTAGE	110-240V (50-60Hz)
LIGHT	Front + Rear	MAX LOADING	150kg
TIRE	10" Air Tire	RANGE	25 - 30 km
SUSPENSION	Front + Rear	CHARGING TIME	About 5-6H
DISPLAY	LED Display	SCOOTER SIZE	1180 * 520 * 1240 mm
FRAME	Aluminum alloy	HORN	Yes (Bell)
BRAKE	Dual disc brake	CHARGER	54.2V 2A
FOLD FUNCTION	Foldable	NET WEIGHT	32.5kg
MAX SPEED	25km/h	WATERPROOF	IPX4
LOGO	As per separate agreement	APP	YES
REMARK	Including 2A Charger, with kickstand, brown master carton, no gift box		

ELECTRIC SCOOTER VELOZ

LITHIUM-ION BATTERY SERIES

48V 15.6AH Battery | 1000W MOTOR POWER



SUSPENSION



LED DISPLAY



30 - 35 KM RANGE



UP TO 25KM/H
TOP SPEED



FOLDABLE AND
EASY TO CARRY



LED DISPLAY



CLIMB INCLINES
TO 20%



SUPPORTS UP
TO 150KG LOAD

Technical Specification

MOTOR	48V 1000W	CLIMBING GRADIENT	≤20%
BATTERY	48V 15.6Ah	CHARGING VOLTAGE	110-240V (50-60Hz)
LIGHT	Front + Rear	MAX LOADING	150kg
	Rear Brake + Side LED + Turn light	RANGE	30 - 35 km
TIRE	10" Off road Tubeless Tire	CHARGING TIME	About 7-8H
SUSPENSION	Front + Rear	SCOOTER SIZE	1245 * 645 * 1290 mm
FRAME	Aluminum alloy	DISPLAY	LED Display
BRAKE	Dual disc brake	HORN	Yes
FOLD FUNCTION	Foldable	NET WEIGHT	32kg
MAX SPEED	25km/h	WATERPROOF	IPX4
LOGO	As per separate agreement	APP	YES
REMARK	Including 2A Charger, with kickstand, brown master carton, no gift box		

ELECTRIC SCOOTER BRIO

LITHIUM-ION BATTERY SERIES


48V 15.6AH Battery | 1000W MOTOR POWER



FOLDABLE BODY



LED DISPLAY



30 - 35 KM RANGE



UP TO 25KM/H
TOP SPEED



FOLDABLE AND
EASY TO CARRY



LED DISPLAY



CLIMB INCLINES
TO 20%



SUPPORTS UP
TO 150KG LOAD

Technical Specification

MOTOR	48V 1000W	CLIMBING GRADIENT	≤20%
BATTERY	48V 15.6Ah	CHARGING VOLTAGE	110-240V (50-60Hz)
LIGHT	Front + Rear	MAX LOADING	150kg
TIRE	10" Off road Tubeless Tire	RANGE	30 - 35 km
SUSPENSION	Front + Rear	CHARGING TIME	About 7-8H
DISPLAY	LED Display	SCOOTER SIZE	1185 * 630 * 1225 mm
FRAME	Aluminum alloy	LIGHT	Rear Brake + Side LED + Turn light
BRAKE	Dual disc brake	HORN	Yes
FOLD FUNCTION	Foldable	NET WEIGHT	33kg
MAX SPEED	25km/h	WATERPROOF	IPX4
LOGO	As per separate agreement	APP	YES
REMARK	Including 2A Charger, with kickstand, brown master carton, no gift box		

ELECTRIC SCOOTER NEXO

LITHIUM-ION BATTERY SERIES

52V 25AH Battery | 2000W MOTOR POWER



FOLDABLE BODY



LED DISPLAY



70 - 80 KM RANGE



UP TO 100KM/H
TOP SPEED



FOLDABLE AND
EASY TO CARRY



LED DISPLAY



CLIMB INCLINES
TO 25%



SUPPORTS UP
TO 150KG LOAD

Technical Specification

MOTOR	52V 2000W	CLIMBING GRADIENT	≤25%
BATTERY	52V 25Ah	CHARGING VOLTAGE	110-240V (50-60Hz)
LIGHT	Front + Rear	MAX LOADING	150kg
TIRE	12" Off road Tubeless Tire	RANGE	70 - 80 km
SUSPENSION	Front + Rear	CHARGING TIME	About 12-13H
DISPLAY	LED Display	SCOOTER SIZE	1228 * 305 * 1370 mm
FRAME	Aluminum alloy	LIGHT	Rear Brake + Side LED + Turn light
BRAKE	Dual disc brake	HORN	YES
FOLD FUNCTION	Foldable	NET WEIGHT	28.5kg
MAX SPEED	100km/h	WATERPROOF	IPX5
LOGO	As per separate agreement	APP	NFC only, no APP
REMARK	Including 2A Charger, with kickstand, brown master carton, no gift box		

BALANTY



**ELECTRIC
TWO
WHEELERS**



HYUNDAI CORPORATION HOLDINGS

25, Yulgok-ro 2-gil, Jongno-gu, Seoul 03143, Korea, Post Code : 03143 | www.hyundaicorpholdings.com
balanty@hyundaicorp.com

BALANTY